IN THE CLAIMS

- 1. (canceled)
- 2. (currently amended) A method of screening for therapeutic agents useful in the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, neurological diseases, metabolic diseases, cancer disorders, urological diseases, gastroenterological diseases and reproduction disorders in a mammal comprising the steps of
 - i) determining a first the activity of a KLK8 polypeptide in the presence of at a certain concentration of a test compound or in the absence of said test compound, and
 - ii) determining a second the activity of said polypeptide in the absence of at a different concentration of said test compound; and
 - iii) determining an effect of the test compound in an in vivo assay.
- 3. (currently amended) A method of screening for therapeutic agents useful in the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, neurological diseases, metabolic diseases, cancer disorders, urological diseases, gastroenterological diseases and reproduction disorders in a mammal comprising the steps of
 - i) determining <u>a first</u> the activity of a KLK8 polypeptide <u>in the presence</u> at a certain concentration of a test compound, and
 - ii) determining <u>a second</u> the activity of a KLK8 polypeptide <u>in</u> at the presence of a compound known to be a regulator of a KLK8 polypeptide; and
 - iii) determining an effect of the test compound in an in vivo assay.

- 4-26. (canceled)
- 27. (new) The method of claim 2 wherein the step of contacting is in or at the surface of a cell.
 - 28. (new) The method of claim 2 wherein the cell is in vitro.
 - 29. (new) The method of claim 2 wherein the step of contacting is in a cell-free system.
- 30. (new) The method of claim 2 wherein the polypeptide is coupled to a detectable label.
 - 31. (new) The method of claim 2 wherein the compound is coupled to a detectable label.
- 32. (new) The method of claim 2 wherein the test compound displaces a ligand which is first bound to the polypeptide.
- 33. (new) The method of claim 3 wherein the step of contacting is in or at the surface of a cell.
 - 34. (new) The method of claim 3 wherein the cell is in vitro.
 - 35. (new) The method of claim 3 wherein the step of contacting is in a cell-free system.
- 36. (new) The method of claim 3 wherein the polypeptide is coupled to a detectable label.
 - 37. (new) The method of claim 3 wherein the compound is coupled to a detectable label.
- 38. (new) The method of claim 3 wherein the test compound displaces a ligand which is first bound to the polypeptide.